





# Zinc ANODE K3-4

gross weight: 5,50 kg

nett weight: 5,10 kg



Technical specification ZnAlCd - alloy type Z1 according to EN12496:2013 :

Alloying elements:

Al [%]: 0,10 - 0,50  
Cd [%]: 0,025 - 0,07  
Zn [%]: remainder

Impurities:

Fe [%]: max 0,005  
Cu [%]: max 0,005  
Pb [%]: max 0,006

Electrochemical efficiency min: 780 Ah/kg  
according to DNV RP B401 test appendix B

Note:

- All weights and dimensions are nominal.
- Dimensions in mm

 <b>MAKROMOR</b> CATHODIC PROTECTION	MAKROMOR SP. Z O.O. Ul. Gołębia 15 81-185 Gdynia, POLAND Phone: +48 58 661-57-99 Fax: +48 58 661-01-89 e-mail: biuro@makromor.pl website: www.makromor.pl		Scale:	<b>1:2,5</b>
			Insert type:	<b>S235JR</b>
		Alloy:	ZnAlCd	
Type:		Alternative type:		
<b>ZINC HULL ANODE K3-4</b>				
Product code:		Drawing No.:		
Z55/K3/100/40/250/320/0				<b>ZK34/0</b>
Drawer:	Date:	Checked:	Date:	
Ewa Nawrocka	15-04-2013	Grzegorz Pryłowski	16-04-2013	
Copyright MAKROMOR SP. Z O.O. All rights reserved.				