



# Zinc ANODE ZT55-8

gross weight: 23,20 kg  
nett weight: 21,50 kg



Technical specification ZnAlCd - alloy type Z1 according to EN12496:2013 :

Alloying elements:		Impurities:	
Al [%]: 0,10 - 0,50		Fe [%]:	max 0,005
Cd [%]: 0,025 - 0,07		Cu [%]:	max 0,005
Zn [%]: remainder		Pb [%]:	max 0,006

Electrochemical efficiency min: 780 Ah/kg  
acc. DNV RP B401 test appendix B

Note:

- All weights and dimensions are nominal.
- Dimensions in mm

 <b>MAKROMOR</b> CATHODIC PROTECTION	MAKROMOR SP. Z O.O. Ul. Gołębia 15 81-185 Gdynia, POLAND Phone: +48 58 661-57-99 Fax: +48 58 661-01-89 e-mail: biuro@makromor.pl website: www.makromor.pl		Scale:	<b>1:7,5</b>
			Insert type:	<b>S235JR</b>
		Alloy:	<b>ZnAlCd</b>	
Type:		<b>ZINC TANK ANODE ZT55-8</b>		Alternative type:
Product code:		<b>Z232/Z55/55/55/1000/500/0</b>		Drawing No.:
		<b>ZZT558/0</b>		
Drawer:	Date:	Approved:	Date:	
Ewa Nawrocka	17-04-2013	Grzegorz Prytowski	18-04-2013	
Copyright MAKROMOR SP. Z O.O. All rights reserved.				