


# Aluminium anode A-6100

gross weight: 61,00 kg  
net weight: 47,75 kg



## Technical specification AlZnIn:

### Alloying elements:

Zn [%]: 2,5 - 5,75

In [%]: 0,015 - 0,040

Al - balance

### Impurities:

Fe [%]: 0,09 max

Si [%]: 0,12 max

Cu [%]: 0,003 max

Cd [%]: 0,002 max

The alloy chemical composition shall be tested using a Q4 Tasman spectrometer, serial number OES3829

Electrochemical efficiency min: 2500 Ah/kg  
acc. DNV RP B401 test A

### Note:

- All weights and dimensions are nominal.
- Dimensions in mm

 <b>MAKROMOR</b> CATHODIC PROTECTION	MAKROMOR SP. Z O.O. Ul. Gołębia 15 81-185 Gdynia, POLAND Phone: +48 58 661-57-99 Fax: +48 58 661-01-89 e-mail: biuro@makromor.pl website: www.makromor.pl	Scale:	<b>1:5</b>
		Insert material: <b>S355 pipe or equivalent</b>	Alloy:
Type:	<b>ALUMINIUM ANODE A-6100</b>	Alternative type:	
Product code:	<b>A6100/A-6100/160/148/930/1400/0</b>	Drawing No.:	<b>A-6100/1</b>
Drawer: Łukasz Stabek	Date: 06-06-2014	Checked: Grzegorz Pryłowski	Date:
Copyright MAKROMOR SP. Z O.O. All rights reserved.			